

# KYB COMPETITION SPRING 価格・仕様一覧

直巻きタイプ

\*表示価格：単位円(希望小売価格/税込み)

\*2024年3月1日 価格改定版

仕様	▲廃番 対象	品番	Rate		Stroke	Max Load		Weight (g)	価格 (本体/1本)	価格 (税込/1本)
			(kgf/mm)	(N/mm)	(mm)	(kgf)	(N)			
■ ID φ60										
6inch (152mm)	▲	KCS60-15205	5.0	49.0	80.5	403.0	3,945	653	¥8,500	¥9,350
	▲	KCS60-15207	7.0	68.6	70.0	490.0	4,802	1,058	¥9,000	¥9,900
	▲	KCS60-15209	9.0	88.2	66.0	594.0	5,821	887	¥8,500	¥9,350
		KCS60-15210	10.0	98.0	72.0	720.0	7,056	905	¥9,500	¥10,450
	▲	KCS60-15211	11.0	107.8	72.0	792.0	7,762	990	¥9,000	¥9,900
		KCS60-15212	12.0	117.6	67.0	804.0	7,879	970	¥9,500	¥10,450
	▲	KCS60-15213	13.0	127.4	67.0	871.0	8,536	1,050	¥9,000	¥9,900
		KCS60-15214	14.0	137.2	68.0	952.0	9,330	1,150	¥9,500	¥10,450
	▲	KCS60-15215	15.0	147.0	64.0	960.0	9,408	1,150	¥9,000	¥9,900
		KCS60-15216	16.0	156.8	63.0	1008.0	9,878	1,170	¥9,500	¥10,450
	▲	KCS60-15217	17.0	166.6	63.0	1071.0	10,496	1,250	¥9,000	¥9,900
		KCS60-15218	18.0	176.4	62.0	1116.0	10,937	1,290	¥9,500	¥10,450
	▲	KCS60-15219	19.0	186.2	61.0	1159.0	11,358	1,340	¥9,500	¥10,450
		KCS60-15220	20.0	196.0	62.0	1240.0	12,152	1,430	¥10,000	¥11,000
	▲	KCS60-15221	21.0	205.8	59.0	1239.0	12,142	1,380	¥9,500	¥10,450
		KCS60-15222	22.0	215.6	59.0	1298.0	12,720	1,480	¥10,000	¥11,000
	▲	KCS60-15223	23.0	225.4	59.0	1357.0	13,299	1,520	¥9,500	¥10,450
		KCS60-15224	24.0	235.2	56.0	1344.0	13,171	1,490	¥10,000	¥11,000
	▲	KCS60-15225	25.0	245.0	56.0	1400.0	13,720	1,540	¥9,500	¥10,450
▲	KCS60-15226	26.0	254.8	57.0	1482.0	14,524	1,650	¥9,500	¥10,450	
▲	KCS60-15227	27.0	264.6	55.0	1485.0	14,553	1,610	¥9,500	¥10,450	
▲	KCS60-15228	28.0	274.4	55.0	1540.0	15,092	1,720	¥9,500	¥10,450	
7inch (178mm)		KCS60-17804	4.0	39.2	105.0	420.0	4,116	680	¥9,000	¥9,900
		KCS60-17805	5.0	49.0	97.0	485.0	4,753	750	¥9,000	¥9,900
		KCS60-17806	6.0	58.8	95.0	570.0	5,586	890	¥9,000	¥9,900
	▲	KCS60-17807	7.0	68.6	92.0	644.0	6,311	980	¥9,000	¥9,900
		KCS60-17808	8.0	78.4	90.0	720.0	7,056	1,070	¥9,500	¥10,450
		KCS60-17810	10.0	98.1	76.0	763.0	7,480	1,660	¥10,000	¥11,000
		KCS60-17812	12.0	117.7	71.0	850.0	8,334	1,450	¥9,500	¥10,450
		KCS60-17814	14.0	137.3	70.0	981.0	9,618	1,630	¥10,000	¥11,000
		KCS60-17816	16.0	156.8	66.0	1056.0	10,349	1,250	¥9,500	¥10,450
	▲	KCS60-17817	17.0	166.6	66.0	1122.0	10,996	1,320	¥9,000	¥9,900
		KCS60-17818	18.0	176.4	64.0	1152.0	11,290	1,360	¥10,000	¥11,000
	▲	KCS60-17819	19.0	186.2	62.0	1178.0	11,544	1,390	¥9,500	¥10,450
		KCS60-17820	20.0	196.0	62.0	1240.0	12,152	1,430	¥10,000	¥11,000
	▲	KCS60-17821	21.0	205.8	62.0	1302.0	12,760	1,500	¥9,500	¥10,450
	▲	KCS60-17822	22.0	215.6	62.0	1364.0	13,367	1,550	¥9,500	¥10,450
	▲	KCS60-17823	23.0	225.4	59.0	1357.0	13,299	1,520	¥9,500	¥10,450
▲	KCS60-17824	24.0	235.2	59.0	1416.0	13,877	1,600	¥9,500	¥10,450	
■ ID φ65										
6inch (152mm)		KCS65-15206	6.0	58.8	90.0	540.0	5,292	800	¥9,000	¥9,900
		KCS65-15207	7.0	68.6	86.0	602.0	5,900	870	¥9,000	¥9,900
		KCS65-15208	8.0	78.4	81.0	648.0	6,350	890	¥9,500	¥10,450
		KCS65-15209	9.0	88.2	79.0	711.0	6,968	980	¥9,500	¥10,450
		KCS65-15210	10.0	98.0	77.0	770.0	7,546	1,020	¥9,500	¥10,450
		KCS65-15211	11.0	107.8	75.0	825.0	8,085	1,080	¥9,500	¥10,450
		KCS65-15212	12.0	117.6	75.0	900.0	8,820	1,180	¥9,500	¥10,450
		KCS65-15213	13.0	127.4	74.0	962.0	9,428	1,270	¥9,500	¥10,450
		KCS65-15214	14.0	137.2	71.0	994.0	9,741	1,290	¥9,500	¥10,450

# KYB COMPETITION SPRING 価格・仕様一覧

直巻きタイプ

\*表示価格：単位円(希望小売価格/税込み)

\*2024年3月1日 価格改定版

仕様	▲廃番 対象	品番	Rate		Stroke (mm)	Max Load		Weight (g)	価格 (本体/1本)	価格 (税込/1本)
			(kgf/mm)	(N/mm)		(kgf)	(N)			
	▲	KCS65-15215	15.0	147.0	70.0	1050.0	10,290	1,360	¥10,000	¥11,000
		KCS65-15216	16.0	156.8	69.0	1104.0	10,819	1,400	¥10,000	¥11,000
		KCS65-15217	17.0	166.6	69.0	1173.0	11,495	1,500	¥10,000	¥11,000
		KCS65-15218	18.0	176.4	59.0	1062.0	10,408	1,150	¥9,500	¥10,450
		KCS65-15219	19.0	186.2	58.0	1102.0	10,800	1,190	¥9,500	¥10,450
		KCS65-15220	20.0	196.0	55.5	1110.0	10,878	1,190	¥9,500	¥10,450
		KCS65-15221	21.0	205.8	56.0	1176.0	11,525	1,250	¥9,500	¥10,450
		KCS65-15222	22.0	215.6	53.5	1177.0	11,535	1,250	¥9,500	¥10,450
		KCS65-15223	23.0	225.4	54.5	1253.5	12,284	1,310	¥10,000	¥11,000
		KCS65-15224	24.0	235.2	53.0	1272.0	12,466	1,360	¥10,000	¥11,000
		KCS65-15225	25.0	245.0	59.0	1475.0	14,455	1,860	¥12,000	¥13,200
		KCS65-15226	26.0	254.8	55.0	1430.0	14,014	1,826	¥12,000	¥13,200
		KCS65-15227	27.0	264.6	55.0	1485.0	14,553	1,880	¥12,000	¥13,200
		KCS65-15228	28.0	274.4	55.0	1540.0	15,092	1,999	¥12,000	¥13,200
		KCS65-15229	29.0	284.2	50.0	1450.0	14,210	1,962	¥11,000	¥12,100
		KCS65-15230	30.0	294.0	50.0	1500.0	14,700	1,536	¥10,000	¥11,000
KCS65-15231	31.0	303.8	50.0	1550.0	15,190	1,582	¥10,000	¥11,000		
KCS65-15232	32.0	313.6	50.0	1600.0	15,680	1,629	¥10,000	¥11,000		
7inch (178mm)		KCS65-17803	3.0	29.4	112.0	337.0	3,305	780	¥9,000	¥9,900
		KCS65-17804	4.0	39.2	114.0	456.0	4,469	810	¥9,000	¥9,900
		KCS65-17805	5.0	49.0	107.0	535.0	5,243	970	¥9,500	¥10,450
		KCS65-17806	6.0	58.8	93.0	558.0	5,468	830	¥9,000	¥9,900
		KCS65-17807	7.0	68.6	88.0	616.0	6,037	910	¥9,500	¥10,450
		KCS65-17808	8.0	78.4	85.0	680.0	6,664	980	¥9,500	¥10,450
		KCS65-17809	9.0	88.2	83.0	747.0	7,321	1,060	¥9,500	¥10,450
		KCS65-17810	10.0	98.0	82.0	820.0	8,036	1,140	¥9,500	¥10,450
		KCS65-17811	11.0	107.8	78.0	858.0	8,408	1,180	¥9,500	¥10,450
		KCS65-17812	12.0	117.6	77.0	924.0	9,055	1,250	¥9,500	¥10,450
		KCS65-17813	13.0	127.4	77.0	1001.0	9,810	1,340	¥9,500	¥10,450
		KCS65-17814	14.0	137.2	76.0	1064.0	10,427	1,410	¥10,000	¥11,000
		KCS65-17815	15.0	147.0	74.0	1110.0	10,878	1,460	¥10,000	¥11,000
		KCS65-17816	16.0	156.8	70.0	1120.0	10,976	1,450	¥10,000	¥11,000
		KCS65-17817	17.0	166.6	69.0	1173.0	11,495	1,500	¥10,000	¥11,000
		KCS65-17818	18.0	176.4	69.0	1242.0	12,172	1,580	¥10,000	¥11,000
KCS65-17819	19.0	186.2	68.0	1292.0	12,662	1,630	¥10,000	¥11,000		
KCS65-17820	20.0	196.0	67.0	1340.0	13,132	1,680	¥10,000	¥11,000		
KCS65-17821	21.0	205.8	67.0	1407.0	13,789	1,790	¥12,000	¥13,200		
KCS65-17822	22.0	215.6	64.0	1408.0	13,798	1,720	¥10,000	¥11,000		
KCS65-17823	23.0	225.4	65.0	1495.0	14,651	1,840	¥12,000	¥13,200		
KCS65-17824	24.0	235.2	64.0	1536.0	15,053	1,890	¥12,000	¥13,200		
KCS65-17825	25.0	245.0	62.0	1550.0	15,190	1,860	¥12,000	¥13,200		
KCS65-17826	26.0	254.8	61.0	1586.0	15,543	1,910	¥12,000	¥13,200		
8inch (203mm)	▲	KCS65-20303	3.0	29.4	112.0	337.0	3,305	780	¥8,500	¥9,350
		KCS65-20304	4.0	39.2	119.0	476.0	4,668	1,165	¥9,500	¥10,450
		KCS65-20305	5.0	49.0	113.0	565.0	5,537	1,010	¥9,500	¥10,450
		KCS65-20306	6.0	58.8	108.0	648.0	6,350	1,110	¥9,500	¥10,450
		KCS65-20307	7.0	68.6	104.0	756.0	7,409	1,230	¥9,500	¥10,450
		KCS65-20308	8.0	78.4	95.0	768.0	7,526	1,220	¥9,500	¥10,450
		KCS65-20309	9.0	88.2	95.0	855.0	8,379	1,380	¥10,000	¥11,000
		KCS65-20310	10.0	98.0	95.0	950.0	9,310	1,530	¥10,000	¥11,000
		KCS65-20311	11.0	107.8	92.0	1012.0	9,918	1,610	¥10,000	¥11,000

# KYB COMPETITION SPRING 価格・仕様一覧

直巻きタイプ

\*表示価格：単位円(希望小売価格/税込み)

\*2024年3月1日 価格改定版

仕様	▲廃番 対象	品番	Rate		Stroke (mm)	Max Lord		Weight (g)	価格 (本体/1本)	価格 (税込/1本)
			(kgf/mm)	(N/mm)		(kgf)	(N)			
	▲	KCS65-20312	12.0	117.6	88.0	1056.0	10,349	1,610	¥10,000	¥11,000
		KCS65-20313	13.0	127.4	90.0	1170.0	11,466	1,810	¥10,000	¥11,000
		KCS65-20314	14.0	137.2	84.0	1176.0	11,525	1,720	¥10,000	¥11,000
		KCS65-20315	15.0	147.0	86.0	1290.0	12,642	1,960	¥12,000	¥13,200
		KCS65-20316	16.0	156.8	84.0	1344.0	13,171	1,990	¥12,000	¥13,200
		KCS65-20317	17.0	166.6	83.0	1411.0	13,828	2,110	¥12,000	¥13,200
		KCS65-20318	18.0	176.4	79.0	1422.0	13,936	2,010	¥12,000	¥13,200
		KCS65-20319	19.0	186.2	79.0	1501.0	14,710	2,140	¥11,000	¥12,100
		KCS65-20320	20.0	196.0	77.0	1540.0	15,092	2,200	¥12,000	¥13,200
		KCS65-20321	21.0	205.8	76.0	1596.0	15,641	2,230	¥11,000	¥12,100
		KCS65-20322	22.0	215.6	68.0	1496.0	14,661	1,870	¥12,000	¥13,200
		KCS65-20323	23.0	225.4	67.0	1564.0	15,327	1,930	¥11,000	¥12,100
		KCS65-20324	24.0	235.2	67.0	1608.0	15,758	1,980	¥12,000	¥13,200
		KCS65-20325	25.0	245.0	64.0	1600.0	15,680	1,980	¥11,000	¥12,100
KCS65-20326	26.0	254.8	64.0	1664.0	16,307	2,070	¥12,000	¥13,200		
9inch (228mm)	▲	KCS65-22804	4.0	39.2	134.0	536.0	5,253	1,110	¥9,500	¥10,450
		KCS65-22805	5.0	49.0	129.0	645.0	6,321	1,290	¥9,500	¥10,450
		KCS65-22806	6.0	58.8	121.0	726.0	7,115	1,400	¥10,000	¥11,000
		KCS65-22807	7.0	68.6	117.0	819.0	8,026	1,540	¥10,000	¥11,000
		KCS65-22808	8.0	78.4	112.0	896.0	8,781	1,630	¥10,000	¥11,000
		KCS65-22809	9.0	88.2	110.0	990.0	9,702	1,820	¥9,500	¥10,450
		KCS65-22810	10.0	98.0	106.0	1060.0	10,388	1,870	¥12,000	¥13,200
		KCS65-22811	11.0	107.8	106.0	1166.0	11,427	2,080	¥11,000	¥12,100
		KCS65-22812	12.0	117.6	103.0	1236.0	12,113	2,190	¥12,000	¥13,200
		KCS65-22813	13.0	127.4	99.0	1287.0	12,613	2,200	¥11,000	¥12,100
KCS65-22814	14.0	137.2	101.0	1414.0	13,857	2,430	¥12,000	¥13,200		
10inch (254mm)	▲	KCS65-25403	3.0	29.4	149.0	447.0	4381	1466	¥9,500	¥10,450
		KCS65-25404	4.0	39.2	149.0	596.0	5,841	1,360	¥9,500	¥10,450
		KCS65-25405	5.0	49.0	142.0	710.0	6,958	1,560	¥10,000	¥11,000
		KCS65-25406	6.0	58.8	121.0	726.0	7,115	1,400	¥10,000	¥11,000
		KCS65-25407	7.0	68.6	117.0	819.0	8,026	1,540	¥10,000	¥11,000
		KCS65-25408	8.0	78.4	114.0	912.0	8,938	1,700	¥10,000	¥11,000
		KCS65-25409	9.0	88.2	111.0	999.0	9,790	1,820	¥9,500	¥10,450
		KCS65-25410	10.0	98.0	106.0	1060.0	10,388	1,870	¥12,000	¥13,200
		KCS65-25411	11.0	107.8	106.0	1166.0	11,427	2,080	¥11,000	¥12,100
		KCS65-25412	12.0	117.6	103.0	1236.0	12,113	2,190	¥12,000	¥13,200
		KCS65-25413	13.0	127.4	99.0	1287.0	12,613	2,200	¥11,000	¥12,100
KCS65-25414	14.0	137.2	101.0	1414.0	13,857	2,430	¥12,000	¥13,200		
11inch (279mm)		KCS65-279025	2.5	24.5	168.2	420.5	4121	1113	¥9,500	¥10,450
12inch (300mm)		KCS65-300025	2.5	24.5	202.5	506.2	4961	1710	¥10,000	¥11,000
	↑上下内径はφ65ですが、ストロークUPの為に若干樽型形状（外径最大φ101）になっております。各部クリアランスにご注意下さい。									
	KCS65-300030	3.0	29.4	180.0	540.0	5292	1601	¥10,000	¥11,000	
↑上下内径はφ65ですが、ストロークUPの為に若干樽型形状（外径最大φ88）になっております。各部クリアランスにご注意下さい。										
Other		KCS65-318027	2.7	26.5	206.7	559.0	5478	2457	¥12,000	¥13,200
	↑上下内径はφ65ですが、ストロークUPの為に樽型形状（外径最大φ113）になっており、自由長318.2mm以上です。各部クリアランスにご注意下さい。									
■ ID φ70										
12inch (300mm)		KCS70-30027	2.8	27.0	196.0	540.0	5,292	2,040	¥12,000	¥13,200
	↑上下内径φ70ですが、ストロークUPの為に樽型形状（外径最大φ105）です。各部クリアランスにご注意下さい。									